


### HEAVY DUTY HYDRAULIC BOOSTER


| MODEL NO.  | HYDR. PISTON DIA.<br>" D " | MAX. OIL PRESS<br>AT 80 PSI<br>AIR PRESSURE | MAX VOLUME<br>AT FULL STROKE |
|------------|----------------------------|---|------------------------------|
| 7016F-1.25 | 1.25                       | 3110 P.S.I.                                 | 7.40 CU. IN.                 |
| 7016F-1.62 | 1.62                       | 1890 P.S.I.                                 | 14.50 CU. IN.                |
| 7016F-1.75 | 1.75                       | 1590 P.S.I.                                 | 7.20 CU. IN.                 |
| 7016F-1.87 | 1.87                       | 1450 P.S.I.                                 | 13.80 CU. IN.                |



7016F

### LIGHT DUTY HYDRAULIC BOOSTER

| MODEL NO.  | HYDR. PISTON DIA.<br>" D " | MAX. OIL PRESS<br>AT 80 PSI<br>AIR PRESSURE | MAX VOLUME<br>AT FULL STROKE |
|------------|----------------------------|---|------------------------------|
| 2670F-1.0  | 1.0                        | 1930 P.S.I.                                 | 2.136 CU. IN.                |
| 2670F-1.25 | 1.25                       | 1210 P.S.I.                                 | 3.337 CU. IN.                |
| 2670F-1.50 | 1.50                       | 819 P.S.I.                                  | 4.805 CU. IN.                |



2670F

UNLESS OTHER-  
WISE SPECIFIED,  
TOLERANCES:  
FRACTIONS=±1/32  
DEC .XX=±.015  
DEC .XXX=±.005  
ANGLES=±1/2°

**A.P. SEEDORFF & CO., INC.**  
RESISTANCE WELDING EQUIPMENT  
TEL. 714-252-5330  
FAX 714-252-5335  
1338 N. KNOLLWOOD CIRCLE, ANAHEIM, CA

|       |           |             |      |
|-------|-----------|-------------|------|
| SCALE | DWG. SIZE | DWG. NO.    | REV. |
| NONE  | A         | 2670F/7016F |      |